



PATENT  
19603/3306 (CRF D-2136B)

#7  
Res/med  
8/17/01

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : Collmer et al.

Serial No : 09/597,513

Cnfrm. No. : 5828

Filed : June 20, 2000

For : HYPERSENSITIVE RESPONSE  
ELICITOR FROM *PSEUDOMONAS*  
*SYRINGAE* AND ITS USE

Examiner:  
Unknown

Art Unit:  
1638

TECH CENTER 1600/2900

AUG 17 2001

RECEIVED

STATEMENT IN ACCORDANCE WITH 37 C.F.R. § 1.821(g)

Assistant Commissioner for Patents  
Washington, D.C. 20231

Sir:


In accordance with 37 C.F.R. § 1.821(g), applicants hereby submit a Sequence Listing (5 pages) on paper and on a computer readable 3.5" Diskette. Applicants submit that the contents of the Sequence Listing on paper and on the computer readable diskette are the same. This submission contains no new matter.

Respectfully submitted,

Dated: August 7, 2001

Edwin V. Merkel  
Edwin V. Merkel  
Registration No. 40,087

NIXON PEABODY LLP  
Clinton Square, P.O. Box 31051  
Rochester, New York 14603  
Telephone: (716) 263-1128  
Facsimile: (716) 263-1600



**NOTICE TO COMPLY WITH REQUIREMENTS FOR PATENT APPLICATIONS CONTAINING NUCLEOTIDE SEQUENCE AND/OR AMINO ACID SEQUENCE DISCLOSURES**



The nucleotide and/or amino acid sequence disclosure contained in this application does not comply with the requirements for such a disclosure as set forth in 37 C.F.R. 1.821 - 1.825 for the following reason(s):

- ☒ 1. This application clearly fails to comply with the requirements of 37 C.F.R. 1.821-1.825. Applicant's attention is directed to these regulations, published at 1114 OG 29, May 15, 1990 and at 55 FR 18230, May 1, 1990.
- ☒ 2. This application does not contain, as a separate part of the disclosure on paper copy, a "Sequence Listing" as required by 37 C.F.R. 1.821(c).
- ☒ 3. A copy of the "Sequence Listing" in computer readable form has not been submitted as required by 37 C.F.R. 1.821(e).
- ☐ 4. A copy of the "Sequence Listing" in computer readable form has been submitted. However, the content of the computer readable form does not comply with the requirements of 37 C.F.R. 1.822 and/or 1.823, as indicated on the attached copy of the marked -up "Raw Sequence Listing."
- ☐ 5. The computer readable form that has been filed with this application has been found to be damaged and/or unreadable as indicated on the attached CRF Diskette Problem Report. A Substitute computer readable form must be submitted as required by 37 C.F.R. 1.825(d).
- ☐ 6. The paper copy of the "Sequence Listing" is not the same as the computer readable form of the "Sequence Listing" as required by 37 C.F.R. 1.821(e).
- ☐ 7. Other: \_\_\_\_\_

**Applicant Must Provide:**

- ☒ An initial or substitute computer readable form (CRF) copy of the "Sequence Listing".
- ☒ An initial or substitute paper copy of the "Sequence Listing", as well as an amendment directing its entry into the specification.
- ☒ A statement that the content of the paper and computer readable copies are the same and, where applicable, include no new matter, as required by 37 C.F.R. 1.821(e) or 1.821(f) or 1.821(g) or 1.825(b) or 1.825(d).

For questions regarding compliance to these requirements, please contact:

For Rules Interpretation, call (703) 308-4216

For CRF Submission Help, call (703) 308-4212

PatentIn Software Program Support (SIRA)

Technical Assistance.....703-287-0200

To Purchase PatentIn Software.....703-306-2600

**PLEASE RETURN A COPY OF THIS NOTICE WITH YOUR RESPONSE**

TECH CENTER 1600/2900

AUG 17 2001

RECEIVED